



STERIDIUM

Australia's premium manufacturer
of medical and laboratory products

Product Specification Sheet

Series Insect Rearing Chamber
 LED Lighting
 Temperature only
Model irc-1620

1620 litre insect rearing chamber
LED lighting - Temperature only



*Specifications subject to change without notice

Steridium Pty Ltd | Australia
www.steridium.com
sales@steridium.com
+61 7 55 931 352



Australia's premium manufacturer
of medical and laboratory products

Product Specification Sheet

Series Insect Rearing Chamber
LED Lighting
Temperature only
Model irc-1620

1620 litre insect rearing chamber
LED lighting - Temperature only

Chamber capacity	1620 Litres
Standard dual chamber design	1 set of shelves per door
Chamber width	705 mm
Chamber depth	600 mm
Chamber height	1810 mm
Single chamber design	Optional
Chamber width	1490 mm
Chamber depth	600 mm
Chamber height	1810 mm
Chamber material	Stainless Steel 304L
External width	1895 mm
External depth	762 mm
External height	2401 mm
External material	Durable epoxy powder-coated steel
Recommended clearance	75mm on sides and rear
Temperature range	4 to 70C
Temperature sensor	Pt100
Control accuracy	0.1 C
Temporal stability	0.2 C
Available shelf positions	38 (19 per door)
Shelves supplied	8 (4 per door)
Shelf dimensions	690 x 590 mm
Shelf spacing	90 mm
Shelf capacity	50 KG
Insulation type	Mineral Wool - asbestos free
Insulation thickness	50mm



Australia's premium manufacturer
of medical and laboratory products

Product Specification Sheet

Series Insect Rearing Chamber
LED Lighting
Temperature only
Model irc-1620

1620 litre insect rearing chamber
LED lighting - Temperature only

Compressor size	3/4 HP
Refrigerant	CFC-Free R134a
Lighting source	Waterproof LED - rear mounted
Lighting colour	Cool and warm white (Independently adjustable)
Lighting control	Infinitely adjustable
Electrical supply	Single phase, 220 - 240V, 50 - 60 Hz (alternatives available on request)
Element rating	2 kW
Circulating fan	2
Controller type	Multifunction intelligent digital PID-microprocessor
Readout	Digital LCD readout of set and actual temperature
Temperature alarms	High low deviation
Diurnal Control	Automatic switching between selected Day and Night Temperatures (and lights)
Country of origin	Australia



Australia's premium manufacturer
of medical and laboratory products

Product Specification Sheet

Series Insect Rearing Chamber
 LED Lighting
 Temperature only
Model irc-1620

1620 litre insect rearing chamber
LED lighting - Temperature only

Options / Accessories

- Single chamber design
- Additional shelves
- 8 Step programmable controller
- 500 Step programmable controller
- Inner viewing door - toughened glass
- Double glazed glass door
- Side access port - 50 mm
- Fan speed controller
- Internal power supply*
- RS232 or RS485 comms module
- Ethernet comms module
- ISPM 15 compliant crating for export
- Calibration certificate

*Maximum temperature limited to 50C